

Apendix 2

Instructions for suppliers of Candoro ethics GmbH

To prevent any misconceptions and to ensure smooth processing of your delivery within legal terms we ask for you to follow our instructions as listed below:

Requirements when preparing the product:

Please do not use Styrofoam Boxes or cartons without the appropriate lid when shipping goods to Candoro ethics GmbH.

All product is to be packaged according to its individual storage and shipping conditions. Products which are not strictly required for 15 to 25°C could be packed and labeled with sticker 2-25 °C.

Ambient Products:

Only combine half pallets of mixed goods (ambient product combined) into one, when storage and distribution requirements are compatible (2 °C to 25°C **or** 15°C to 25°C). If it is possible to combine, please label this pallet/package with the sticker 15°C to 25°C.

Labeling of packages

Please mark your shipments with your company name or attach packing lists on the outside of each package/palette, so they can be easily identified.




In addition, packages are to be labeled according to their storage and distributing requirements. Please use the stickers as shown here and attach them visibly on the outside of the package (one sticker per package/palette only). These stickers are being provided by remedix in adequate quantities and can be re-ordered from us any time.

FB-SOP-EIN-01.14	Packaging Instructions BTM-PI	Gültig ab: 01.08.2023	Version: 02
Erstellt von: S. Linden	Geprüft & Freigegeben von: M. Hartmann	Freigegeben am: 14.07.2023	Seite: 1 von 2


Appendix 2

Instructions for suppliers of Candoro ethics GmbH

Labeling with stickers:



purple:
Keep Ambient between +2°C and +25°C



blue:
Keep Ambient between +15°C and +25°C

You are allowed to use your own stickers if they match the same specification as above!

If you need any further information, please do not hesitate to contact us.

Phone: +49 6172 4999-426

Mail: transportlogistik@remedix.eu

FB-SOP-EIN-01.14	Packaging Instructions BTM-PI	Gültig ab: 01.08.2023	Version: 02
Erstellt von: S. Linden	Geprüft & Freigegeben von: M. Hartmann	Freigegeben am: 14.07.2023	Seite: 2 von 2